

February 26, 2016

Tom Moe
USS Corporation
P.O. Box 417
Mountain Iron, MN 55768

RE: Project: NPDES-TB Wk3
Pace Project No.: 1261175

Dear Tom Moe:

Enclosed are the analytical results for sample(s) received by the laboratory on February 17, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather R Zika
heather.zika@pacelabs.com
Project Manager

Enclosures

cc: Terri Sabetti, NTS



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: NPDES-TB Wk3

Pace Project No.: 1261175

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
525 N 8th Street, Salina, KS 67401
A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #MN00064
Alabama Certification #40770
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
Colorado Certification #Pace
Connecticut Certification #: PH-0256
EPA Region 8 Certification #: 8TMS-L
Florida/NELAP Certification #: E87605
Guam Certification #: 14-008r
Georgia Certification #: 959
Georgia EPD #: Pace
Idaho Certification #: MN00064
Hawaii Certification #MN00064
Illinois Certification #: 200011
Indiana Certification#C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky Dept of Envi. Protection - DW #90062
Kentucky Dept of Envi. Protection - WW #:90062
Louisiana DEQ Certification #: 3086
Louisiana DHH #: LA140001
Maine Certification #: 2013011
Maryland Certification #: 322
Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137
Mississippi Certification #: Pace
Montana Certification #: MT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New York Certification #: 11647
North Carolina Certification #: 530
North Carolina State Public Health #: 27700
North Dakota Certification #: R-036
Ohio EPA #: 4150
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Oregon Certification #: MN300001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification
Saipan (CNMI) #:MP0003
South Carolina #:74003001
Texas Certification #: T104704192
Tennessee Certification #: 02818
Utah Certification #: MN000642013-4
Virginia DGS Certification #: 251
Virginia/VELAP Certification #: Pace
Washington Certification #: C486
West Virginia Certification #: 382
West Virginia DHHR #:9952C
Wisconsin Certification #: 999407970

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792
Alaska Certification #MN01084
Arizona Department of Health Certification #AZ0785
Minnesota Dept of Health Certification #: 027-137-445
North Dakota Certification: # R-203

Wisconsin DNR Certification #: 998027470
WA Department of Ecology Lab ID# C1007
Nevada DNR #MN010842015-1
Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: NPDES-TB Wk3

Pace Project No.: 1261175

Lab ID	Sample ID	Matrix	Date Collected	Date Received
1261175001	SD 001 (Seep 020)	Water	02/17/16 11:00	02/17/16 13:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NPDES-TB Wk3

Pace Project No.: 1261175

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
1261175001	SD 001 (Seep 020)	EPA 1664 TPH	MBL	1	PASI-M
		USGS I-3765	BEM	1	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NPDES-TB Wk3

Pace Project No.: 1261175

Sample: SD 001 (Seep 020)		Lab ID: 1261175001		Collected: 02/17/16 11:00		Received: 02/17/16 13:55		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
1664 SGT-HEM, TPH									
		Analytical Method: EPA 1664 TPH							
Total Petroleum Hydrocarbons	0.61J	mg/L	5.1	0.38	1		02/24/16 10:40		B
USGS I-3765 TSS									
		Analytical Method: USGS I-3765							
Total Suspended Solids	3.2	mg/L	1.0	1.0	1		02/18/16 13:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-TB Wk3

Pace Project No.: 1261175

QC Batch: WET/46574

Analysis Method: EPA 1664 TPH

QC Batch Method: EPA 1664 TPH

Analysis Description: 1664 SGT-HEM, TPH

Associated Lab Samples: 1261175001

METHOD BLANK: 2196783

Matrix: Water

Associated Lab Samples: 1261175001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Petroleum Hydrocarbons	mg/L	0.40J	5.0	0.37	02/24/16 09:40	

LABORATORY CONTROL SAMPLE: 2196784

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	20	15.1	76	64-132	

MATRIX SPIKE SAMPLE: 2197325

Parameter	Units	1261262002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Petroleum Hydrocarbons	mg/L	0.41J	20.4	13.4	63	64-132	M1

SAMPLE DUPLICATE: 2197324

Parameter	Units	1261262001 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Petroleum Hydrocarbons	mg/L	0.76J	1.1J		34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NPDES-TB Wk3

Pace Project No.: 1261175

QC Batch: WET/22613

Analysis Method: USGS I-3765

QC Batch Method: USGS I-3765

Analysis Description: USGS I-3765 Total Suspended Solids

Associated Lab Samples: 1261175001

METHOD BLANK: 289409

Matrix: Water

Associated Lab Samples: 1261175001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	ND	1.0	1.0	02/18/16 13:31	

LABORATORY CONTROL SAMPLE: 289410

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	239	210	88	80-120	

SAMPLE DUPLICATE: 289411

Parameter	Units	1261071002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	156	152	3	10	

SAMPLE DUPLICATE: 289412

Parameter	Units	1261100002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	124	128	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: NPDES-TB Wk3

Pace Project No.: 1261175

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

PASI-V Pace Analytical Services - Virginia

BATCH QUALIFIERS

Batch: WET/46574

[BE] Batch extracted by solid phase extraction (SPE).

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: NPDES-TB Wk3

Pace Project No.: 1261175

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
1261175001	SD 001 (Seep 020)	EPA 1664 TPH	WET/46574		
1261175001	SD 001 (Seep 020)	USGS I-3765	WET/22613		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

	Document Name:	Document Revised: 23Feb2015
	Sample Condition Upon Receipt Form	Page 1 of 1
	Document No.: F-VM-C-001-Rev.09	Issuing Authority: Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: USX

Project #:

WO#: 1261175



Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client
☐ Commercial ☐ Pace ☐ Other:

Tracking Number:

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No

Seals Intact? ☐ Yes ☒ No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other:

Temp Blank? ☒ Yes ☐ No

Thermometer Used: ☒ 140792808

Type of Ice: ☒ Wet ☐ Blue ☐ None ☒ Samples on ice, cooling process has begun

Cooler Temp Read °C: 3.6 Cooler Temp Corrected °C: 3.9

Biological Tissue Frozen? ☐ Yes ☐ No ☒ NA

Temp should be above freezing to 6°C Correction Factor: 0.3

Date and Initials of Person Examining Contents: 2-17-16 CR

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? ☐ Yes ☐ No

Person Contacted:

Date/Time:

Comments/Resolution:

FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review:

KAH for HRZ

Date:

2-17-16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain of Custody



Workorder: 1261175 Workorder Name: NPDES-TB WK3 Owner Received Date: 2/17/2016 Results Requested By: 3/2/2016

Report To: Heather R Zika
 Pace Analytical Services, Inc.
 315 Chestnut St. PO Box 1212
 Virginia, MN 55792
 Phone (218) 735-6700
 Fax (218) 742-1010

Subcontract To: Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612) 607-1700

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	HCL	Preserved Containers	Requested Analysis	LAB USE ONLY
1	SD 001 (Seep 020)	PS	2/17/2016 11:00	1261175001	Water	1		X	TRPH 1664
2									
3									
4									
5									
<div>Transfers</div> <div>Released By: <i>[Signature]</i> Date/Time: 2/18/2016 Received By: _____ Date/Time: _____</div> <div>Comments: J-Flagged to MDL Reported 2</div>									
<div>Cooler Temperature on Receipt: _____ °C Custody Seal: Y or N Received on Ice: Y or N Samples Intact: Y or N</div>									